


"Take it easy" Tool Finder



Screw stainless steel together with stainless steel!



Lasertip



Non-roll feature

4



Integrated impact cap



Pound-thru blade



Integrated hex bolster




Individually tested




Second arm



High torque transfer



334/6 Rack Screwdriver set Kraftform Plus Lasertip and rack



Application: Slotted and Phillips screws

Content: 6-piece set and rack in display carton

•		
05 105650 001		
0	350 PH	1x PH 1x80; 1x PH 2x100
•	334	1x 1,2x6,5x150
•	335	1x 0,5x3,0x80 ¹⁾ ; 1x 0,8x4,0x100;
		1x 1,0x5,5x125

1) without Lasertip

Kraftform 300/7 set 1 Screwdriver set Kraftform Plus



Includes some tools with Lasertip round blades. With Take it easy tool finder: Colour coding by profiles and size stamping.

Application: Slotted, Phillips, Pozidriv and TORX® screws

Design: 7-piece set in compact, textile box with Wera2go compatibility

-		
05 105623 001		
0	350 PH	1x PH 1x80; 1x PH 2x100
0	355 PZ	1x PZ 2x100
0	367 TORX®	1x TX 15x80; 1x TX 20x100; 1x TX 25x100
•	335	1x 0,8x4,0x100
	K240	1x 50,0x240,0



"Take it easy" Tool Finder



Screwdrivers with "Take it easy" tool finder: colour coding according to profile and size stamp.



Prevents hand injuries



The outstanding design of the Kraftform handle that fits perfectly into the hand prevents hand injuries such as blisters and calluses.



Lasertip



A precisely-focused laser creates a sharp-edged surface structure. This laser treatment results in an edge hardness of up to 1000 HV 0.3. Wera Lasertip "bites" itself into the screw head and prevents any slips out of the recess. It is available for screwdrivers for slotted, Phillips and Pozidriv screws.



Non-roll feature



The hexagonal non-roll feature prevents any rolling away at the workplace.



Stubby Set 1 Screwdriver set




With Take it easy tool finder: colour coding according to profile and size stamp.

Application: Slotted and Phillips screws **Design:** 5-piece set in display carton

05 008870 001		
0	350 PH Stubb	y 1x PH 1x25; 1x PH 2x25
•	335 Stubby	1x 0,6x3,5x24,5; 1x 0,8x4,0x24,5; 1x 1,0x5,5x24.5

Long life



The special surface treatment of the blades sees to a high level of corrosion protection and optimum fitting accuracy of the screw.

"Take it easy" Tool Finder




Screwdrivers with "Take it easy" tool finder: colour coding according to profile and size stamp.

Compact shape



With its compact handle shape and the short blade, the Kraftform Stubbies are particularly suitable for working in confined screwdriving situations.

454/7 HF Set 1 screwdriver set T-handle screwdrivers **Hex-Plus with holding function**



Application: Hexagon socket screws, with holding function on the long arm from size 3

Design: With Take it easy tool finder:colour coding according to profile (blue = hexagon socket) and size stamp. 7-piece set and 2 racks in display carton

-		
05 023450 001		
0	454	1x 2,5x100
0	454 HF	1x 3x100; 1x 4x100; 1x 5x150; 1x 6x150;
		1x 8x200; 1x 10x200
	Rack	2x 190.0x50.0





The ergonomically shaped 2-component T-handle with finger recesses and pleasant surface facilitates very high power transmission and fatigue-free working.



TORX® HF profile



In tight assembly or disassembly situations, for example in engine compartments, it is not possible to securely hold the screw with the hand on the screwdriver, and the screw subsequently often gets lost. Lengthy searches or the loss of the screw (with the associated danger that could bring about)

are the consequence. The HF tools developed by Wera are ideal because they feature an optimised geometry of the original TORX® profile. The wedging forces resulting from the surface pressure between the drive tip and the screw profile mean that the screw is securely held on the tool!

"Take it easy" Tool Finder



Screwdrivers with "Take it easy" tool finder: colour coding according to profile and size stamp.

160 i/7 Rack Screwdriver set Kraftform Plus Series 100, voltage tester and rack













Kraftform: The safety screwdriver with Lasertip blade, single-pole phase tester and rack. Take it easy tool finder: colour coding according to profile and size stamp.


Application: Slotted and Phillips screws

Design: 7-piece set and rack in display carton

+		
05 006147 001		
•	162 i PH VDE	1x PH 1x80; 1x PH 2x100
•	160 i VDE	1x 0,4x2,5x80 ¹⁾ ; 1x 0,6x3,5x100 ¹⁾ ;
		1x 0,8x4,0x100; 1x 1,0x5,5x125
•	247	1x 0,5x3,0x70

¹⁾ without Lasertin

Kraftform 100 iS/7 set 1 Screwdriver set Kraftform Plus series 100. Partly with reduced blade diameter



Kraftform: The safety screwdriver. Includes some tools with reduced blade diameter. With tool finder Take it easy: Colour coding by profiles and size stamping.

Application: Slotted, Phillips, combination profile Pozidriv/slotted and TORX® screws

Design: 7-piece set in compact, textile box with Wera2go compatibility

•		
05 136013 001		
0	162 iS	1x PH 1x80; 1x PH 2x100
0	165 iS PZ/S	1x # 2x100
0	167 i TORX® VDE	1x TX 20x80; 1x TX 25x100
•	160 iS	1x 0,6x3,5x100; 1x 1,0x5,5x125
	K240	1x 50,0x240,0

1060 i/1062 i/6 Kraftform VDE screwdriver set



Application: Slotted and Phillips-head screws Phillips-Recess

Design: 6-piece set

•		
05 051575 001		
0	1062 i PH VD	E 1x PH 1x80; 1x PH 2x100
•	1060 i VDE	1x 0.4x2.5x80; 1x 0.6x3.5x100; 1x 0.8x4.0x100; 1x 1.0x5.5x125



Individually tested



Our screwdrivers are tested for dielectric strength under a 10,000 volt load to make sure that their most important property, their insulation, has been exhaustively tested. Each individual Wera VDE screwdriver is subjected to this test to guarantee safe working up to 1,000 volts.



Rapid hand repositioning




The hard materials used for the handle ensure rapid hand repositioning without any danger of the skin "sticking" to the handle. The surrounding hard zones with large diameters glide like wheels across the hand.

[&]quot;) Product not available in the USA and Canada.



3334/6 Screwdriver set, stainless and rack



Application: Slotted and Phillips screws

Content: 6-piece set with Take it easy tool finder: colour coding according to profile and size stamp and rack in display carton

•		
05 032060 001		
0	3350 PH	1x PH 1x80; 1x PH 2x100
•	3335	1x 0,5x3,0x80 ¹⁾ ; 1x 0,8x4,0x100;
		1x 1,0x5,5x125
•	3334	1x 1,2x6,5x150

1)without Lasertip



Screw stainless steel together with stainless steel!



Solution to the rust problem: screw stainless steel together with stainless steel! Wera stainless steel tools are manufactured out of stainless steel so unsightly rust can be avoided.

Vacuum ice-hardened



The stainless steel tools from Wera are vacuum ice-hardened and have the hardness and strength needed for screw connections. There are no limitations to the industrial applications they are suitable for.

932/6 Screwdriver set Kraftform Wera: Chiseldriver and rack





Application: Slotted and Phillips screws

Content: 6-piece set and rack in display carton

•		
05 018282 001		
0	917 SPH	1x PH 1x80; 1x PH 2x100
•	932 A	1x 0,6x3,5x80 ¹⁾ ; 1x 0,8x4,5x90;
		1x 1,0x5,5x100; 1x 1,2x7,0x125

¹⁾ No throughout blade, no impact cap and no hexagon bolster


Kraftform 900/7 set 1 screwdriver set Kraftform Wera: The chiseldriver











Application: Slotted, Phillips and TORX® screws

Design: 7-piece set in compact, textile box with Wera2go compatibility

•		
05 137811 001		
0	917 SPH	1x PH 1x80; 1x PH 2x100
0	977 TORX®	1x TX 20x90; 1x TX 25x100
=	932 A	1x 0,8x4,5x90; 1x 1,0x5,5x100;
		1x 1,2x7,0x125
	K240	1x 50,0x240,0



Integrated impact cap



An integrated impact cap lengthens the service life and reduces the danger of splintering. Nevertheless, always wear protective goggles.



Pound-thru blade



A hexagon blade made out of high-quality bit material extends right through the handle — thereby ensuring full transfer of force, even when struck with a hammer. The ductile tempered material prevents the blade from splintering or breaking.



Integrated hex bolster



Greater torque can be transferred by fitting an open-jaw or ring spanner over the integrated hex bolster.




Wera Black Point tip



The Wera Black Point tip and a refined hardening process ensure long service life of the tip, improved corrosion protection and an exact fit.



Kraftform Micro 12 Universal 1 screwdriver set for electronic applications



Take it easy tool finder: colour coding according to profile and size stamp.

 $\textbf{Application:} \ \ \textbf{Slotted, Phillips, TORX} \\ \textbf{§ and hexagon socket screws} \\ \textbf{§ and hexagon screws} \\ \textbf{§ a$


Content: 12-piece set, in a belt pouch

+		
05 073675 001		
0	2050 PH Micr	o 1x PH 00x60 ¹⁾ ; 1x PH 0x60 ²⁾
0	2067 TORX® HF	1x TX 5x40; 1x TX 6x40
•	2035 Micro	1x 0,23x1,5x40; 1x 0,30x1,8x60; 1x 0,40x2,0x60; 1x 0,40x2,5x80; 1x 0,50x3,0x80
0	2054 Micro	1x 0,9x40; 1x 1,5x60; 1x 2x60
	K70	1x 50,0x70,0

1)Optimised for Asian PH screws



"Take it easy" Tool Finder



Screwdrivers with "Take it easy" tool finder: colour coding according to profile and size stamp.



The refined screwdriver for electronics technicians



The Kraftform Micro, with its three zones and their specific arrangement, satisfies these requirements perfectly. The free-turning cap that provides support for the hand works with these advantages, enabling quick and easy precision work.

Kraftform Kompakt Micro 11 Universal 1



11-piece set

Pouch with 44 mm bits

1 Kraftform Micro bitholding screwdriver 1013

•		
05 135938 001		
●	1013 Kraftform Micro	1x 97
0	851/9 C	1x PH 00x44 ¹⁾ ; 1x PH 0x44 ²⁾ ; 1x PH 1x44 ¹⁾
0	840/9 C	1x 1,5x44; 1x 2,0x44
•	800/9 C	1x 0,23x1,5x44; 1x 0,40x2,0x44; 1x 0,50x3,0x44
0	867/9 C TORX®	1x TX 5x44; 1x TX 6x44

1) Optimised for Asian PH screws

²⁾Size 0 modificated according to JCIS 0 (Japanese Camera Industrial Standard)

²⁾Size 0 modificated according to JCIS 0 (Japanese Camera Industrial Standard)

Kraftform Micro Big Pack 1 screwdriver set for electronic applications















Take it easy tool finder: colour coding according to profile and size stamp.

Application: Slotted screws, Phillips-head, Phillips-Recess, TORX® Internal Transducers (TX 5, TX 6, TX 7, TX 8, TX 10 with holding function), Internal TORX PLUS® IPR, internal and external hex and Microstix® screws, 1 chip lifter to remove stuck components on circuit boards after soldering

Design: 25 pieces; in roll pouch; suitable for Wera 2go

+		
05 134000 001		
0	2050 PH Micro 1x PH 000x40 ^{1) 2)} ; 1x PH 00x40 ^{1) 2)} ;	
		1x PH 0x40 ³⁾
0	2067 TORX®	1x TX 5x40; 1x TX 6x40
0	2067 TORX®	1x TX 5x40; 1x TX 6x40; 1x TX 7x60;
	HF	1x TX 8x60; 1x TX 10x60
0	2067 TORX	1x 1 IPRx40 ⁴⁾
	PLUS® IPR	
	Micro	
0	2054 Micro	1x 0,9x40; 1x 1,3x40; 1x 1,5x60; 1x 2x60
•	2035 Micro	1x 0,23x1,5x40; 1x 0,30x1,8x60;
		1x 0,35x2,5x40; 1x 0,40x2,0x60;
		1x 0,40x2,5x80; 1x 0,50x3,0x80
•	2069 Micro	1x 4,0x60; 1x 5,5x60
٥	2072	1x mx40
•	1429	1x 1,0x3,5x50
	K240	1x 50,0x240,0

¹⁾Optimised for Asian PH screws

2035/6 A Screwdriver set and rack for electronic applications















Take it easy tool finder: colour coding according to profile and size stamp.

Application: Slotted and Phillips screws

Content: 6-piece set and rack in display carton

•		
05 118150 001		
0	2050 PH Micro1x PH 00x60 1); 1x PH 0x60 2)	
•	2035 Micro	1x 0,30x1,8x60; 1x 0,40x2,0x60; 1x 0,40x2,5x80; 1x 0,50x3,0x80

¹⁾ Optimised for Asian PH screws

Kraftform Micro 6 ESD Smartphone repair kit 1













With Take it easy Tool Finder: colour coding by profile and size stamping.

Application: Phillips-Recess, TORX PLUS® IPR and Microstix® screws, 1 lifting fork for removing stuck components on printed circuit boards after unsoldering

6-piece set in a cardboard box + rack Design:

•		
05 030182 001		
Ф	1550 PH ESD Micro	1x PH 00x40 ^{1) 2)} ; 1x PH 0x40 ³⁾
0	1567 TORX PLUS® IPR ESD	1x 1 IPRx40 ⁴⁾
٥	1572 ESD	1x mx40
Ф	1550 PH S ESD Micro	1x # 01x40
•	1529 ESD	1x 1.0x3.5x50

¹⁾ Optimised for Asian PH screws

 $^{^{2)}\}mbox{On the output side, the blade is turned to a nominal length of 10 mm$

³⁾Size 0 modificated according to JCIS 0 (Japanese Camera Industrial Standard)

⁴⁾Without bore hole

²⁾Size 0 modificated according to JCIS 0 (Japanese Camera Industrial Standard)

²⁾On the output side, the blade is turned to a nominal length of 10 mm

³⁾ Size 0 modificated according to JCIS 0 (Japanese Camera Industrial Standard)

⁴⁾ Without bore hole